

PRODUCT-DETAILS

## MLBL-07W

## MLBL-07W LED block



General Information	
Extended Product Type	MLBL-07W
Product ID	1SFA611621R1075
EAN	7320500544907
Catalog Description	MLBL-07W LED block
Long Description	Modular LED block - 230 V AC, integrated LED - White - Illuminated

Ordering	
E-Number (Finland)	2315779
E-Number (Norway)	4373117
E-Number (Sweden)	3705070
EAN	7320500544907
Minimum Order Quantity	10 piece
Customs Tariff Number	85369001

Dimensions	
Product Net Width	0.044 m
Product Net Height	0.01 m
Product Net Depth / Length	0.035 m
Product Net Weight	0.01 kg

Container Information	
Package Level 1 Units	bag 10 piece
Package Level 1 Width	0.11 m
Package Level 1 Height	0.01 m
Package Level 1 Depth / Length	0.15 m
Package Level 1 Gross Weight	0.11 kg
Package Level 1 EAN	7320500373255

## **Environmental**

RoHS Status

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information	
Accessory Type	LED and lamp blocks
Color	White
Connecting Capacity Control Circuit	Flexible with Ferrule 1x 0.75 2.5 mm <sup>2</sup> Flexible with Ferrule 2x 0.75 2.5 mm <sup>2</sup> Flexible with Insulated Ferrule 1x 0.75 2.5 mm <sup>2</sup> Flexible with Insulated Ferrule 2x 0.75 2.5 mm <sup>2</sup> Flexible 1x 0.75 2.5 mm <sup>2</sup> Flexible 2x 0.75 2.5 mm <sup>2</sup>
Connection Type	Screw Clamp
Degree of Protection	Terminals IP20
Illumination	Illuminated
Lamp Type	230 V AC, integrated LED
Luminance	600 millicandela
Mounting Type	Front mounting
Power Loss	Approximately 0.4 W
Product Main Type	MLBL
Product Name	LED block
Product Range	Modular range
Product Type	MLBL
Rated Current (I <sub>n</sub> )	8.2 mA
Rated Frequency (f)	50 / 60 Hz
Rated Operational Voltage	230 V AC
Recommended Screw Driver	Control Circuit Pozidriv 2
RoHS Date	0635 4
Suitable For	МСВН-00 МСВН5-00

MP2 MP3 MP4 MPMT3 MPS51 M2S51 M2S53 M2S54 M2S55 M2S56 M3SS1 M3SS2 M3SS3 M3SS4 M3SS5 M3SS5

MP1

	M3S57 M3S58
	MPM1
Suitable for Product Class	Pilot Devices
Terminal Type	Screw Terminals
Tightening Torque	Control Circuit 0.9 N·m
Wire Stripping Length	Control Circuit 8 mm

CQC Certificate	CQC2008010305274953
cULus Certificate	9AKK107046A9925
Data Sheet, Technical Information	1SFC151007C02
Declaration of Conformity - CCC	2020980305001106
Declaration of Conformity - CE	2CMT2015-005452
DNV GL Certificate	E-14107
EAC Certificate	1SFC150017D1101
Environmental Information	1SAC200078H0001
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005452

Classifications	
ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC000204 - Lamp holder block for control circuit devices
ETIM 6	EC000204 - Lamp holder block for control circuit devices
ETIM 7	EC000204 - Lamp holder block for control circuit devices
Object Classification Code	E
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371209

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Control\ Products\ \rightarrow Pilot\ Devices \rightarrow Accessories$   $Low\ Voltage\ Products\ and\ Systems \rightarrow Control\ Products\ \rightarrow Pilot\ Devices \rightarrow Modular\ Plastic\ Range$ 

MLBL-07W 4

