

CAT. N° 7 645 83



AUTOMATIC SWITCH NILOÉ - IR - 180° - RANGE 8 M - 2-WIRE WITHOUT NEUTRAL - WHITE

Pack (number of units)	1
Volume (dm ³)	0,534
Weight (g)	127,00

Product characteristics

Automatic switches

- IR detection
- Detection field: 120°
- Detection range: 8 m
- Time delay adjustable from 10 s to 10 min
- Light level threshold adjustable from 5 to 1275 lux

2-wire, without neutral

- Allow the control of:
 - 3 to 100 W LED and compact fluorescent lamps
 - 3 to 250 VA LED, CFL, halogen and fluorescent tubes with ferromagnetic or electronic ballast
 - 3 to 250 W halogen (230 V) and incandescent lamps
- If several sensors are installed on the same circuit, the minimum load changes: refer to the technical sheet
- Possibility to install up to 3 sensors in parallel
- Consumption on standby: 0.02 W
- To be used without override
- White

General characteristics

Niloé™ - automatic switches and dimmers

- Mechanisms supplied with cover plates and support frames in flow-pack
- To be equipped with plates
- Screw terminals
- Fixing with screws or claws (supplied)

Documentation

Catalogue pages & additional information

- [Description page \(p.532\)](#)

Installation & technical data

- [F02162EN-01](#)

Installation instructions & related documents

- [LE09174AA_1](#)