

# Product data sheet

Specifications



## Odace, SAT single shield, white

S520446



### Main

Range of product	Odace
Product or component type	SAT socket
Device presentation	Mechanism with fixing frame
TV socket type	Individual
Type of packing	Paint cover

### Complementary

Device mounting	Flush
SAT connector	F type
Path attenuation	1.5 dB SAT signal950...2150 MHz
Number of inputs	1
Fixing mode	By screws
Colour tint	White (RAL 9003)
Surface finish	Glossy
Connections - terminals	Screw terminals
Shape of screw head	Pozidriv No 1
Wire stripping length	8 mm
Type of cable	Coaxial
Cable outer diameter	7 mm
Material	Thermoplastic ABS-UV stabilised: centre plate PBT (polybutylene terephthalate) GF30: support frame Zinc alloy: casing
Height	71 mm
Width	71 mm
Depth	34.1 mm
Embedding depth	18.1 mm
Net weight	0.042 kg
Resistance to chemical agents	Resistant to alcohol (70 %) Resistant to alcohol (96 %) Resistant to A-Lactic Acid Resistant to diluted quaternary ammonium Resistant to diluted bleach Resistant to diluted ammonia Resistant to soapy water

Resistant to crystal cleaner  
Resistant to hydrogen peroxide 10 volumes  
Resistant to hexane

Environment

Ambient air temperature for storage	-5...50 °C
Ambient air temperature for operation	5...45 °C
Standards	2006/95/EC EN 50083-4
IK degree of protection	IK04
IP degree of protection	IP21D

Packing Units

Unit Type of Package 1	Db
Number of Units in Package 1	1
Package 1 Height	3.9 cm
Package 1 Width	7.4 cm
Package 1 Length	7.4 cm
Package 1 Weight	75.0 g
Unit Type of Package 2	Gyári csomagolás
Number of Units in Package 2	5
Package 2 Height	9.0 cm
Package 2 Width	37.0 cm
Package 2 Length	5.8 cm
Package 2 Weight	451.0 g
Unit Type of Package 3	Doboz
Number of Units in Package 3	60
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	5.858 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>

WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------	---

Contractual warranty

Warranty	18 months
----------	-----------

Recommended replacement(s)