

INSTALLATION INSTRUCTION

VT-1228 LED Special Tubelights



INTRODUCTION

Thank you for selecting and buying V-TAC product. V-TAC will serve you the best. Please read these instructions carefully before starting the installing and keep this manual handy for future reference. If you have any another query, please contact our dealer or local vendor from whom you have purchased the product. They are trained and ready to serve you at the best. The warranty is valid for 2 years from the date of purchase. The warranty does not apply to damage caused by incorrect installation or abnormal wear and tear. The company gives no warranty against damage to any surface due to incorrect removal and installation of the product. The products are suitable for 10-12 Hours Daily operation. Usage of product for 24 Hours a day would void the warranty. This product is warranted for manufacturing defects only.

PRODUCT OVERVIEW

LED Tubelights contains Light Emitting Diodes (LED), which is the most advanced lighting technology today, offering the most significant energy saving, environment protection, long life span and no maintenance required. It has 100% better efficiency and significantly better brightness than any other old fixtures. Power saving, no maintenance, easy to install, high efficiency, low energy consumption, long life span, low temperature and no bod glare.



APPLICATION AND USES

Can be used in supermarket such as vegetable area, fresh meat area, seafood and backy area. The plant growing tube is used in breeding room.

INSTALLTION REQUIREMENTS

- Install only by Certified Electrician
- Operation environment temperature: from -20°C to +45°C
- Proper grounding should be ensured throughout the installation
- Do NOT use with electric ballasts and magnetic ballasts
- Do NOT use DC electricity.

INSTALLATION INSTRUCTIONS



Circuit diagram of LED tubes



Packing:

LED Tube:

X1 PC

LED Tube starter: X1 PCS

NOTICE

- Lighting installation should not be covered. Leave some space around the fixture for ventilation.
- Risk of shock, hence disconnect at fuse or circuit breaker before installation or servicing.
- Risk of fire, supply conductors (power wires) connecting fixture must be rated minimum 90°C. If uncertain, consult electrician.

WARRANTY

- This product is warranted from manufacturing defect only.
- The warranty does not apply to damage caused by incorrect installation or abnormal wear and tear.
- The company gives no warranty against damage to any surface due to incorrect removal and installation of the product.

WARNING

- The product uses a very high power LED. As with any light source, direct viewing should be avoided.
- NOTE: Although easy to fit, this lamp requires wiring to the main and for safety should only be fitted by a qualified electrician.
- Having issued this warning, the company accepts no responsibility for issues arising from any failures to comply with these clear instructions.
- The company will not accept any responsibility for any other issues arising from improper use of fitting of this product as these materials are beyond our control.